



SAFETY HEALTH AND  
ENVIRONMENTAL AFFAIRS

JUN 24 1991

# MATERIAL SAFETY DATA SHEET

PRODUCT

NALCO 2816 COOLING TREATMENT

Emergency Telephone Number

Medical (708) 920-1510 (24 hours)

## SECTION 1 PRODUCT IDENTIFICATION

TRADE NAME: NALCO 2816 COOLING TREATMENT

DESCRIPTION: An aqueous solution of a carboxylate, borate, organophosphorus compound, substituted triazole and sodium hydroxide

NFPA 704M/HMIS RATING: 2/2 HEALTH 1/1 FLAMMABILITY 0/0 REACTIVITY 0 OTHER  
0=Insignificant 1=Slight 2=Moderate 3=High 4=Extreme

## SECTION 2 HAZARDOUS INGREDIENTS

Our hazard evaluation has identified the following chemical ingredient(s) as hazardous under OSHA's Hazard Communication Rule, 29 CFR 1910.1200. Consult Section 14 for the nature of the hazard(s).

INGREDIENT(S)	CAS #	APPROX. %
Sodium hydroxide	1310-73-2	0.1-1
Sodium tetraborate	1330-43-4	1-10

## SECTION 3 PRECAUTIONARY LABEL INFORMATION

WARNING: Causes irritation to skin and eyes. Do not get in eyes, on skin or on clothing. Wear goggles and face shield when handling. Avoid prolonged or repeated breathing of vapor. Use with adequate ventilation. Do not take internally. Keep container closed when not in use.

Empty containers may contain residual product. Do not reuse container unless properly reconditioned.

## SECTION 4 FIRST AID INFORMATION

EYES: Immediately flush for at least 15 minutes while holding eyelids open. Call a physician at once.

SKIN: Immediately flush with water for at least 15 minutes. For a large splash, flood body under a shower. Call a physician at once.

INGESTION: Do not induce vomiting. Give water. Call a physician.

INHALATION: Remove to fresh air. Treat symptoms. Call a physician.

NOTE TO PHYSICIAN: Based on the individual reactions of the patient, the physician's judgment should be used to control symptoms and clinical condition.

CAUTION: If unconscious, having trouble breathing or in convulsions, do not induce vomiting or give water.



# MATERIAL SAFETY DATA SHEET

PRODUCT

NALCO 2816 COOLING TREATMENT

Emergency Telephone Number

Medical (708) 920-1510 (24 hours)

## SECTION 5 HEALTH EFFECTS INFORMATION

PRIMARY ROUTE(S) OF EXPOSURE: Eye, Skin

EYE CONTACT: Can cause mild to moderate irritation.

SKIN CONTACT: Can cause moderate irritation.

SYMPTOMS OF EXPOSURE:

ACUTE: Moderate irritation of eyes and/or skin.

AGGRAVATION OF EXISTING CONDITIONS: A review of available data does not identify any worsening of existing conditions.

## SECTION 6 TOXICOLOGY INFORMATION

ACUTE TOXICITY STUDIES: Acute toxicity studies have been conducted on this product. The results are shown below.

ACUTE ORAL TOXICITY (ALBINO RATS): LD50 = Greater than 5 g/kg  
No appreciable toxicity.

PRIMARY SKIN IRRITATION TEST (ALBINO RABBITS):

SKIN IRRITATION INDEX DRAIZE RATING: 3.2/8.0 Moderately irritating

COMMENTS: Well defined redness and swelling were observed immediately after removal of the occlusive dressing (4-hour contact). Only slight redness persisted 24-hours later. The skin within the application sites of all animals appeared normal within 48-hours. Some yellow staining of the skin was observed at this time (4 of 6 animals).

PRIMARY EYE IRRITATION TEST (ALBINO RABBITS):

EYE IRRITATION INDEX DRAIZE RATING: 15.5/110.0 Mildly irritating

COMMENTS: A mild (Grade 1) iritis was observed in three of six rabbits at the one and 24-hour time intervals. Conjunctivitis was noted in all animals within one hour, lessened in degree by 24-hours, and was not apparent by 72-hours. No corneal involvement was observed.

## SECTION 7 PHYSICAL AND CHEMICAL PROPERTIES

COLOR: Yellow	FORM: Liquid	ODOR: Mild sweet
DENSITY:	9.52 lbs/gal.	
SOLUBILITY IN WATER:	Completely	
SPECIFIC GRAVITY:	1.41 @ 60 Degrees F	ASTM D-1298
pH (NEAT) =	12	ASTM E-70
VISCOSITY:	6.4 cps @ 60 Degrees F	ASTM D-2983



# MATERIAL SAFETY DATA SHEET

PRODUCT

NALCO 2816 COOLING TREATMENT

Emergency Telephone Number

Medical (708) 920-1510 (24 hours)

## SECTION 7 PHYSICAL AND CHEMICAL PROPERTIES

( CONTINUED )

FREEZE POINT:	32 Degrees F	ASTM D-1177
MELTING POINT:	Greater than 25 Degrees F	ASTM D-2117
FLASH POINT:	Greater than 230 Degrees F (PMCC)	ASTM D-93

NOTE: These physical properties are typical values for this product.

## SECTION 8 FIRE AND EXPLOSION INFORMATION

FLASH POINT: Greater than 230 Degrees F (PMCC) ASTM D-93

EXTINGUISHING MEDIA: This product would not be expected to burn unless all the water is boiled away. The remaining organics may be ignitable. Use water to cool containers exposed to fire.

UNUSUAL FIRE AND EXPLOSION HAZARD: May evolve NO<sub>x</sub> under fire conditions.

## SECTION 9 REACTIVITY INFORMATION

INCOMPATIBILITY: Avoid contact with strong acids (eg. sulfuric, phosphoric, nitric, hydrochloric, chromic, sulfonic) which can generate heat, splattering or boiling and the release of toxic fumes.

THERMAL DECOMPOSITION PRODUCTS: In the event of combustion CO, CO<sub>2</sub>, NO<sub>x</sub> may be formed. Do not breathe smoke or fumes. Wear suitable protective equipment.

## SECTION 10 PERSONAL PROTECTION EQUIPMENT

RESPIRATORY PROTECTION: Respiratory protection is not normally needed since the volatility and toxicity are low. If significant vapors or mists are generated, wear a NIOSH approved or equivalent respirator.

For large spills, entry into large tanks, vessels or enclosed small spaces with inadequate ventilation, a pressure-demand, self-contained breathing apparatus is recommended.

VENTILATION: General ventilation is recommended.

PROTECTIVE EQUIPMENT: Use impermeable gloves and chemical splash goggles when attaching feeding equipment or doing maintenance.

If clothing is contaminated, remove clothing and thoroughly wash the affected area. Launder contaminated clothing before reuse.



# MATERIAL SAFETY DATA SHEET

PRODUCT

NALCO 2816 COOLING TREATMENT

Emergency Telephone Number

Medical (708) 920-1510 (24 hours)

## SECTION 11 SPILL AND DISPOSAL INFORMATION

IN CASE OF TRANSPORTATION ACCIDENTS, CALL THE FOLLOWING 24-HOUR TELEPHONE NUMBER (708-920-1510)

### SPILL CONTROL AND RECOVERY:

Small liquid spills: Contain with absorbent material, such as clay, soil or any commercially available absorbent. Shovel reclaimed liquid and absorbent into recovery or salvage drums for disposal. Refer to CERCLA in Section 14.

Large liquid spills: Dike to prevent further movement and reclaim into recovery or salvage drums or tank truck for disposal. Refer to CERCLA in Section 14.

DISPOSAL: If this product becomes a waste, it does not meet the criteria of a hazardous waste as defined under the Resource Conservation and Recovery Act (RCRA) 40 CFR 261, since it does not have the characteristics of Subpart C, nor is it listed under Subpart D.

As a non-hazardous liquid waste, it should be solidified with stabilizing agents (such as sand, fly ash, or cement) so that no free liquid remains before disposal to an industrial waste landfill. A non-hazardous liquid waste can also be incinerated in accordance with local, state and federal regulations.

## SECTION 12 ENVIRONMENTAL INFORMATION

If released into the environment, see CERCLA in Section 14.

## SECTION 13 TRANSPORTATION INFORMATION

DOT PROPER SHIPPING NAME/HAZARD CODE - ORM-B, N.O.S.

ORM-B NA 1760

CONTAINS

- SODIUM HYDROXIDE

## SECTION 14 REGULATORY INFORMATION

The following regulations apply to this product.

### FEDERAL REGULATIONS:

OSHA'S HAZARD COMMUNICATION RULE, 29 CFR 1910.1200:

Based on our hazard evaluation, the following ingredient in this product is hazardous and the reason is shown below.



# MATERIAL SAFETY DATA SHEET

PRODUCT

NALCO 2816 COOLING TREATMENT

Emergency Telephone Number

Medical (708) 920-1510 (24 hours)

## SECTION 14 REGULATORY INFORMATION

( CONTINUED )

Sodium hydroxide - Corrosive, irritant

Sodium hydroxide = Ceiling 2 mg/m3 ACGIH/TLV

Sodium tetraborate = TWA 1 mg/m3 ACGIH/TLV

Sodium hydroxide = Ceiling 2 mg/m3 OSHA/PEL

Sodium tetraborate = TWA 10 mg/m3 OSHA/PEL

CERCLA/SUPERFUND, 40 CFR 117, 302:

This product contains sodium hydroxide, a Reportable Quantity (RQ) substance and if 100,000 pounds of product are released, it requires notification to the NATIONAL RESPONSE CENTER, WASHINGTON, D. C. (1-800-424-8802).

SARA/SUPERFUND AMENDMENTS AND REAUTHORIZATION ACT OF 1986  
(TITLE III) - SECTIONS 302, 311, 312 AND 313:

SECTION 302 - EXTREMELY HAZARDOUS SUBSTANCES (40 CFR 355):

This product does not contain ingredients listed in Appendix A and B as an Extremely Hazardous Substance.

SECTIONS 311 and 312 - MATERIAL SAFETY DATA SHEET REQUIREMENTS (40 CFR 370):  
Our hazard evaluation has found this product to be hazardous. The product should be reported under the following EPA hazard categories:

- XX Immediate (acute) health hazard
- Delayed (chronic) health hazard
- Fire hazard
- Sudden release of pressure hazard
- Reactive hazard

SECTION 313 - LIST OF TOXIC CHEMICALS (40 CFR 372):

This product does not contain ingredients (at a level of 1% or greater) on the List of Toxic Chemicals.

TOXIC SUBSTANCES CONTROL ACT (TSCA):

The chemical ingredients in this product are on the 8(b) Inventory List (40 CFR 710).

RESOURCE CONSERVATION AND RECOVERY ACT (RCRA), 40 CFR 261 SUBPART C & D:  
Consult Section 11 for RCRA classification.

FEDERAL WATER POLLUTION CONTROL ACT, CLEAN WATER ACT, 40 CFR 401.15  
(formerly Sec. 307), 40 CFR 116 (formerly Sec. 311):

This product contains the following ingredients covered by the Clean Water Act:



# MATERIAL SAFETY DATA SHEET

PRODUCT

NALCO 2816 COOLING TREATMENT

Emergency Telephone Number

Medical (708) 920-1510 (24 hours)

## SECTION 14 REGULATORY INFORMATION

( CONTINUED )

Sodium hydroxide - Section 311

CLEAN AIR ACT, 40 CFR 60, SECTION 111, 40 CFR 61, SECTION 112:

This product does not contain ingredients covered by the Clean Air Act.

### STATE REGULATIONS:

#### CALIFORNIA PROPOSITION 65:

None of the chemicals on the current Proposition 65 list are known to be present in this product.

#### MICHIGAN CRITICAL MATERIALS:

This product does not contain ingredients listed on the Michigan Critical Materials Register.

#### STATE RIGHT TO KNOW LAWS:

The following ingredient(s) are disclosed for compliance with State Right To Know Laws:

Carboxylate	Trade secret
Inorganic solvent	Trade secret
Phosphonate	Trade secret
Polyglycol	Trade secret
Sodium tetraborate	1330-43-4
Substituted carboxylate	Trade secret

## SECTION 15 ADDITIONAL INFORMATION

None

## SECTION 16 USER'S RESPONSIBILITY

This product material safety data sheet provides health and safety information. The product is to be used in applications consistent with our product literature. Individuals handling this product should be informed of the recommended safety precautions and should have access to this information. For any other uses, exposures should be evaluated so that appropriate handling practices and training programs can be established to ensure safe workplace operations. Please consult your local sales representative for any further information.



# MATERIAL SAFETY DATA SHEET

PRODUCT

NALCO 2816 COOLING TREATMENT

Emergency Telephone Number

Medical (708) 920-1510 (24 hours)

---

## SECTION 17 BIBLIOGRAPHY

---

ANNUAL REPORT ON CARCINOGENS, U.S. Department of Health and Human Services, Public Health Service, PB 33-135855, 1983.

CASARETT AND DOULL'S TOXICOLOGY, THE BASIC SCIENCE OF POISONS, Doull, J., Klaassen, C. D., and Admur, M. O., eds., Macmillian Publishing Company, Inc., N. Y., 2nd edition, 1980.

CHEMICAL HAZARDS OF THE WORKPLACE, Proctor, N. H., and Hughes, J. P., eds., J. P. Lipincott Company, N.Y., 1981.

DANGEROUS PROPERTIES OF INDUSTRIAL MATERIALS, Sax, N. Irving, ed., Van Nostrand Reinhold Company, N.Y., 6th edition, 1984.

IARC MONOGRAPHS ON THE EVALUATION OF THE CARCINOGENIC RISK OF CHEMICALS TO MAN, Geneva: World Health Organization, International Agency for Research on Cancer, 1972-1977.

PATTY'S INDUSTRIAL HYGIENE AND TOXICOLOGY, Clayton, G. D., Clayton, F. E., eds., John Wiley and Sons, N. Y., 3rd edition, Vol. 2 A-C, 1981.

REGISTRY OF TOXIC EFFECTS ON CHEMICAL SUBSTANCES, U.S. Department of Health and Human Services, Public Health Service, Center for Disease Control, National Institute for Occupational Safety and Health, 1983 supplement of 1981-1982 edition, Vol. 1-3, OH, 1984.

Title 29 Code of Federal Regulations Part 1910, Subpart Z, Toxic and Hazardous Substances, Occupational Safety and Health Administration (OSHA).

THRESHOLD LIMIT VALUES FOR CHEMICAL SUBSTANCES AND PHYSICAL AGENTS IN THE WORKROOM ENVIRONMENT WITH INTENDED CHANGES, American Conference of Governmental Industrial Hygienists, OH.

PREPARED BY: Ricky A. Stackhouse PhD., Toxicologist

DATE CHANGED: 04/08/91

DATE PRINTED: 06/06/91



# MATERIAL SAFETY DATA SHEET

PRODUCT

Emergency Telephone Number

Medical (708) 920-1510 (24 hours)

---